



A quality decision!



SPA & BATHCOLLECTION

CONTENTS

OVAL SPAS

Sheridan 1800	2
Rose 1810	3
Angie 1730	5
Alexia 1700/1550	7
Alice 1800	29

CORNER SPAS

Aliza 1515	9
Celline 1500	11
Carla 1500	13
Shamrock 1500/1300	15
Kirsty 1500/1300	17
Renovator 1500/1300	27
Janice 1500/1300	28

RECTANGLE SPAS

Billi-Jo 1800	19
Pandora 1800	21
Lindy 1700	23
Juliet 1650/1500	26

RENOVATION RANGE SPAS

Juliet 1650/1500	26
Renovator 1500/1300	27
Janice 1500/1300	28
Alice 1800	29

Twin Pump Systems	30
-------------------	----

Shower Liners & Bases	31
-----------------------	----

Pumps	32
-------	----

Baths	33
-------	----

Specification Drawings	35
------------------------	----

Accessories & Features	37
------------------------	----



LUXURY MODEL SHOWN WITH OPTIONAL CHROME JETS, AIR SYSTEM, HANDLES, JET DIVERTER AND DIGITAL TOUCH PAD. REFER TO PAGE 35 FOR SPECIFICATION DRAWING.

SHERIDAN 1800

Recessed lumbar jets, styled armrests, lumbar support, slip resistant base, depth 525mm.

PLATINUM™ MODEL TWIN PUMP

- 4 Adjustable Jets • 12 Mini Jets • 2 Swirl Jets
 - 2 x 1 H.P. Pumps • 180ltr Operating Capacity
- (For more information regarding the twin pump system refer to page 30)

LUXURY MODEL

- 4 Adjustable Jets • 12 Mini Jets • 2 Swirl Jets • Jet Diverter
- 1.25 H.P. Pump • 180ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 3 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 180ltr Operating Capacity

MULTI-JET MODEL

- 0 Adjustable Jets • 24 Mini Jets • 0 Swirl Jets • Jet Diverter
- 1.25 H.P. Pump • 180ltr Operating Capacity



SUPER LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS, AIR SYSTEM, HANDLES AND DIGITAL TOUCH PAD.
REFER TO PAGE 35 FOR SPECIFICATION DRAWING.



ROSE 1810

Contoured armrests, recessed lumbar jets, padded headrests, slip resistant base, depth 565mm.

PLATINUM™ MODEL TWIN PUMP SUPER LUXURY

Including neck and shoulder massage with wrap around padded headrest

- 4 Adjustable Jets • 11 Mini Jets • 2 Swirl Jets • Jet Diverter • 2 x 1 H.P. Pumps
- 200ltr Operating Capacity

(For more information regarding the twin pump system refer to page 30)

PLATINUM™ MODEL TWIN PUMP LUXURY

- 4 Adjustable Jets • 6 Mini Jets • 2 Swirl Jets • 2 x 1 H.P. Pumps
- 190ltr Operating Capacity

(For more information regarding the twin pump system refer to page 30)

SUPER LUXURY MODEL WITH NECK & SHOULDER MASSAGE

5 jet neck and shoulder massage with wrap around padded headrest

- 4 Adjustable Jets • 11 Mini Jets • 2 Swirl Jets • Jet Diverter • 1.25 H.P. Pump
- 200ltr Operating Capacity

LUXURY MODEL

- 4 Adjustable Jets • 6 Mini Jets • 2 Swirl Jets • 1.25 H.P. Pump
- 190ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 0 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 160ltr Operating Capacity



LUXURY MODEL SHOWN WITH CHROME FITTINGS AND DIGITAL TOUCH PAD.
REFER TO PAGE 35 FOR SPECIFICATION DRAWING.



ANGIE 1730 NEW RELEASE

European lines, simple elegance in an ultra modern bathing space, depth 480mm.

LUXURY MODEL

• 4 Adjustable Jets • 8 Mini Jets • 1.25 H.P. Pump • 190ltr Operating Capacity

STANDARD MODEL

• 6 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump • 190ltr Operating Capacity

BUDGET MODEL

• 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 165ltr Operating Capacity

MASSAGE





LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS, CONTOURED HEADREST RAIL WITH PANJUL PILLOW AND DIGITAL TOUCH PAD. REFER TO PAGE 35 FOR SPECIFICATION DRAWING.

ALEXIA 1700/1550 NEW RELEASE

The Alexia boasts clean lines while maintaining a classic bath shape, depth 480mm.

1700 LUXURY MODEL

• 6 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump • 192ltr Operating Capacity

1700 STANDARD MODEL

• 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 192ltr Operating Capacity

1550 LUXURY MODEL

• 5 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump • 167ltr Operating Capacity

1550 STANDARD MODEL

• 5 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 167ltr Operating Capacity

UNWIND





SUPER LUXURY MODEL SHOWN WITH NECK & SHOULDER MASSAGE, OPTIONAL CHROME FITTINGS, AIR SYSTEM, HANDLE AND DIGITAL TOUCH PAD. REFER TO PAGE 35 FOR SPECIFICATION DRAWING.

ALIZA 1515

The Super Luxury Aliza is equipped with recessed lumbar jets, 4 jet neck and shoulder massage system with padded headrests, luxurious soak depth of 610mm and slip resistant base.

PLATINUM™ MODEL TWIN PUMP SUPER LUXURY

Neck and shoulder massage (neck massage is standard on the Super Luxury model, but can be ordered without if not required)

- 4 Adjustable Jets • 19 Mini Jets • 2 Swirl Jets • Jet Diverter • 1.25 H.P. Pump
 - 1 H.P. Heat Retention Pump • 190ltr Operating Capacity
- (For more information regarding the twin pump system refer to page 30)

LUXURY MODEL

(Neck and shoulder massage can be ordered as an optional extra)

- 6 Adjustable Jets • 7 Mini Jets • 3 Swirl Jets • Jet Diverter • 1.25 H.P. Pump
- 190ltr Operating Capacity

STANDARD MODEL

(Neck and shoulder massage can be ordered as an optional extra)

- 4 Adjustable Jets • 4 Mini Jets • 2 Swirl Jets • 1.25 H.P. Pump
- 190ltr Operating Capacity



LUXURY MODEL SHOWN WITH JET DIVERter, OPTIONAL CHROME FITTINGS, HANDLE AND DIGITAL TOUCH PAD. REFER TO PAGE 35 FOR SPECIFICATION DRAWING.



CELLINE 1500

Sculptured armrests, recessed lumbar jets, integrated soap holder, corner seat, padded headrests, slip resistant base, depth 520mm.

PLATINUM™ MODEL TWIN PUMP

- 4 Adjustable Jets • 13 Mini Jets • 2 Swirl Jets • 2 x 1 H.P. Pumps
- 150ltr Operating Capacity

(For more information regarding the twin pump system refer to page 30)

LUXURY MODEL

- 4 Adjustable Jets • 13 Mini Jets • 2 Swirl Jets • Jet Diverter • 1.25 H.P. Pump
- 150ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 3 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 150ltr Operating Capacity

CALM





LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS, HANDLES AND DIGITAL TOUCH PAD. REFER TO PAGE 35 FOR SPECIFICATION DRAWING.

CARLA 1500

Shaped armrests, recessed lumbar jets, integrated soap holder, corner seat, padded headrests, slip resistant base, depth 505mm.

LUXURY MODEL

- 4 Adjustable Jets • 6 Mini Jets • 2 Swirl Jets • 1.25 H.P. Pump
- 180ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 0 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 140ltr Operating Capacity

HEALTH





9 JET MODEL SHOWN WITH OPTIONAL CHROME FITTINGS & HANDLES.
REFER TO PAGES 35-36 FOR SPECIFICATION DRAWINGS.

SHAMROCK 1500 & 1300

Padded headrests (only on 1500 & 1300 models), recessed jets, vanity seat, flexible lumbar jet positions, slip resistant base, depth 515/510mm.

1500 & 1300 9 JET MODEL

• 6 Adjustable Jets • 3 Mini Jets • 1.25 H.P. Pump • 170/150ltr Operating Capacity

1500 & 1300 6 JET MODEL

• 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 150/130ltr Operating Capacity



9 JET MODEL SHOWN WITH OPTIONAL CHROME FITTINGS.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.



KIRSTY 1500 & 1300

Recessed jets, contoured armrests, 3 moulded seats, slip resistant base, moulded headrests, depth 515mm/510mm.

9 JET MODEL

- 6 Adjustable Jets • 3 Mini Jets • 1 H.P. Pump
- 155/135ltr Operating Capacity

8 JET MODEL

- 8 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump
- 155/135ltr Operating Capacity

6 JET MODEL

- 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump
- 155/135ltr Operating Capacity



SUPER LUXURY 12 JET MODEL SHOWN WITH OPTIONAL CHROME FITTINGS, MULTI-JET PILLOW AND DIGITAL TOUCH PAD.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.



BILLI-JO 1800 NEW RELEASE

The Billi-Jo is the newest addition to the Lanark range. With European styling it's sure to be a feature in any modern bathroom, depth 500mm.

SUPER LUXURY MODEL INCLUDING MULTI-JET PILLOW

- 6 Adjustable Jets • 6 Mini Jets • Jet Diverter • 1.25 H.P. Pump
- 207ltr Operating Capacity

LUXURY MODEL

- 4 Adjustable Jets • 8 Mini Jets • 1.25 H.P. Pump
- 207ltr Operating Capacity
- Optional multi-jet pillow available

STANDARD MODEL

- 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump
- 207ltr Operating Capacity
- Optional multi-jet pillow available

The Billi-Jo features a uniquely designed curve along the length of the lip of the bath as shown here.





SUPER LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS AND PANJUL PILLOW.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.



PANDORA 1800

Contoured armrests, lumbar support, moulded headrest with optional pillow, control panel, slip resistant base, depth 515mm.

SUPER LUXURY MODEL

- 6 Adjustable Jets • 6 Mini Jets • 1.25 H.P. Pump
- 150ltr Operating Capacity

LUXURY MODEL

- 6 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump
- 150ltr Operating Capacity

STANDARD MODEL

(There are no jet recesses in lumbar area)

- 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump
- 120ltr Operating Capacity

SOOTHING





LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.

LINDY 1700

Contoured armrests, padded headrest, moulded hand grips,
slip resistant base, depth 490mm.

LUXURY MODEL

- 5 Adjustable Jets • 2 Mini Jets • 1 Swirl Jet • 1.25 H.P. Pump
- 150ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 2 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 150ltr Operating Capacity

BUDGET MODEL

- 6 Adjustable Jets • 0 Mini Jets • 0 Swirl Jets • 1 H.P. Pump
- 110ltr Operating Capacity

RENOVATION RANGE





LUXURY MODEL SHOWN WITH OPTIONAL CHROME JETS AND PANJUL PILLOW.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.

RENOVATION RANGE

JULIET 1650/1500

Contoured armrests, lumbar support, moulded headrest with optional pillow, slip resistant base, depth 455mm.

LUXURY MODEL

- 6 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump
- 140/130ltr Operating Capacity

STANDARD MODEL

- 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump
- 110/100ltr Operating Capacity



LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.

RENOVATION RANGE

RENOVATOR 1500/1300

3 moulded seats, slip resistant base, control panel, soap holder, depth 525mm/500mm.

LUXURY MODEL

• 6 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump • 150/135ltr Operating Capacity

STANDARD MODEL

• 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 150/135ltr Operating Capacity



JANICE 1500 STANDARD MODEL SHOWN WITH OPTIONAL CHROME FITTINGS.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.

RENOVATION RANGE
JANICE 1500/1300

Slip resistant base, depth 515/510mm.

STANDARD MODEL

- 6 Adjustable Jets
- 0 Mini Jets
- 1 H.P. Pump
- 155/135ltr Operating Capacity



LUXURY MODEL SHOWN WITH OPTIONAL CHROME FITTINGS AND PANJUL PILLOW.
REFER TO PAGE 36 FOR SPECIFICATION DRAWING.

RENOVATION RANGE

ALICE 1800

Contoured armrests, 2 integrated soap shelves, slip resistant base, depth 545mm.

LUXURY MODEL

• 5 Adjustable Jets • 4 Mini Jets • 1 H.P. Pump • 180ltr Operating Capacity

STANDARD MODEL

• 6 Adjustable Jets • 0 Mini Jets • 1 H.P. Pump • 140ltr Operating Capacity



PLATINUM™ RANGE

TWIN PUMP SYSTEM



PUMPS, AIR SYSTEM AND JETS ARE FOR ILLUSTRATIVE PURPOSES ONLY.

For the ultimate hydrotherapy experience the “twin pump” system is now available in the Platinum™ Range, a selection of super luxury and luxury dual seating spa baths which includes the **Celine, Aliza, Sheridan** and **Rose**.

Now each person can enjoy the benefits of maximum hydrotherapy with full pressure massage in both seats through individually controlled pumps.


SHOWER SYSTEM LINERS & BASES

Please ask your dealer for Lanark's shower system brochure.



Moulded Wall

- 900 x 900mm
- 1000 x 1000mm
- 1200 x 900mm
- 1830mm high only



Flat Wall

- 900 x 900mm
- 1000 x 1000mm
- 1200 x 900mm
- 1830mm or 2000mm high



Square

- 900 x 900mm
- 1000 x 1000mm
- 2 tile bead




Rectangle

- 1200 x 900mm
- 3 tile bead



Corner Round

- 900 x 900mm
- 1000 x 1000mm
- 2 tile bead



Corner Angle

- 900 x 900mm
- 1000 x 1000mm
- 2 tile bead



PUMP SPECIFICATIONS

Lanark's spa jetting configurations have been uniquely designed to operate with the range of Onga high performance hydro pumps. All Onga pumps supplied operate on 10 Amp power supply.

All Onga pumps are:

- energy efficient
- whisper quiet
- suitable for indoor or outdoor mounting without the need for a cover
- approved to Australian / New Zealand standards
- covered by a seven year manufacturer's warranty

ELECTRONIC HOT PUMP WITH TOUCH PAD

OPTIONAL UPGRADE 2


- gives you the option of turning the heater element on and off, while leaving the pump operating
- dedicated heating element located in the Full-Flo of water
- maximises the bath water temperature and also maintains the temperature of the water when blower is activated
- will raise the temperature of the water 2.5°C per hour when blower is off



GENUINE DEDICATED HOT PUMP

- dedicated heating element located in the Full-Flo of water
- maximises the bath water temperature and also maintains the temperature of the water when blower is activated
- will raise the temperature of the water 2.5°C per hour when blower is off


OPTIONAL UPGRADE 1



STANDARD PUMP

- maintains the temperature of the water for approximately 20 minutes.

SUPPLIED AS STANDARD



BATHS

*All Lanark's shells are also available in "bath only" formats.



RENOVATOR 1500/1300

3 moulded seats, slip resistant base, depth 525/500mm.



JANICE 1500/1300

Slip resistant base, depth 515/510mm.



ALICE 1800

Contoured armrests, 2 integrated soap shelves, slip resistant base, depth 545mm.



ALEXIA 1700/1550

NEW RELEASE


The Alexia boasts clean lines while maintaining a classic bath shape, depth 480mm.



ANGIE 1730

NEW RELEASE

European lines, simple elegance in an ultra modern bathing space, depth 480mm.



JULIET 1650/1500

Contoured armrests, lumbar support, moulded headrest, optional pillow, slip resistant base, depth 445/455mm.



MAREE 1650/1525

Contoured armrests, lumbar support, moulded headrest with optional pillow, slip resistant base, dimensions 1650mm x 755mm, depth 420mm or 1525mm x 755mm, depth 420mm.



BILLI-JO 1800

NEW RELEASE

The Billi-Jo is the newest addition to the Lanark range. With European styling it's sure to be a feature in any modern bathroom, depth 500mm.



PANDORA 1800

Contoured armrests, lumbar support, moulded headrest with optional pillow, slip resistant base, depth 515mm.



KELLI HIP BATH


Dimensions: 900 x 900 x 300mm. 3 sided tile bead.



SPECIFICATION DRAWINGS


NOTE: the letters a, b, c, d, e and f appearing on the diagrams represent the detached pump positions only. There are NO complete under bath pump positions. Please contact your local State office regarding requests for under bath pump positions. "Depth" is measured from the top of the tile bead to the bottom of the waste. All measurements are approximate.

SHERIDAN 1800




Depth: 525mm Trim: 65mm

ALIZA 1515



Depth: 610mm Trim: 65mm


ROSE 1810



Depth: 565mm Trim: 75mm


Pump protrudes 80-100mm beyond the edge of the bath on Standard and Luxury models. For Super Luxury model pump must be detached.

CELLINE 1500



Depth: 520mm Trim: 65mm


ANGIE 1730



Depth: 480mm Trim: 50mm

Pump will not fit under the bath. No tiling key.


CARLA 1500



Depth: 505mm Trim: 65mm

Pump protrudes 80-100mm beyond the edge of the bath.


ALEXIA 1700/1550



Depth: 480mm Trim: 50mm

Pump will not fit under the bath. No tiling key.


SHAMROCK 1500,1300



Depth: 515mm / 510mm Trim: 65mm


Pump protrudes 80-100mm beyond the edge of the bath.

KIRSTY 1500/1300




Pump protrudes 80-100mm beyond the edge of the bath.

JULIET 1650/1500




Depth: 445mm / 455mm Trim: 45mm

BILL-JO 1800



Pump will not fit under the bath. No tiling key.


RENOVATOR 1500/1300



Pump protrudes 80-100mm beyond the edge of the bath.


Depth: 525mm / 500mm Trim: 65mm

PANDORA 1800



Depth: 515mm Trim: 45mm


JANICE 1500/1300



Pump protrudes 80-100mm beyond the edge of the bath.


Depth: 515mm / 510mm Trim: 65mm

LINDY 1700




Depth: 490mm Trim: 45mm

ALICE 1800




Depth: 545mm Trim: 75mm

MAREE 1650/1525



Depth: 420mm Trim: 45mm

KELLI HIP BATH






1. PanJul Pillow

Available on Pandora, Alice, Alexia, Billi-Jo & Juliet



5. Multi-jet Pillow

Available on Billi-Jo only



9. Jet Colours



2. Neck & Shoulder Massage

Available on Aliza & Rose Super Luxury Models



6. Contoured Headrest Rail

Available on Alexia only



10. Steel Reinforcing Rod



3. Headrests



7. Lanark Touch Pad



11. Skid Frame

Adjusts 55mm - 85mm



4. Neck Massage Pillow



8. Spa & Bath Colours



12. Tile Support Frame

Adjusts 55mm - 85mm



13. Whispair Plus Blower



17. Handle



18. Swirl Jet



14. Air System



15. Luxury Models



16. Jet Diverter

ACCESSORIES & FEATURES

1. **PanJul Pillow** New optional slip on pillow in black or white available for the Pandora, Alexia, Alice, Billi-Jo and Juliet.
2. **Neck and Shoulder Massage** New valve operated neck and shoulder massage available on Rose and Aliza Super Luxury models.
3. **Headrests** Our padded recessed headrests are available in a choice of black, white or ivory.
4. **Neck Massage Pillow** Available on the Pandora, Alice and Juliet.
5. **Multi-jet Pillow** Uniquely designed, this pillow features 6 mini jets and 1 adjustable jet. Available exclusively on the Billi-Jo spa.
6. **Contoured Headrest Rail** Available on the Alexia spa and bath only.
7. **Lanark Touch Pad** The touch pad allows you to operate your hot pump with the heater switched on or off. The Lanark Touch Control also features "Low Water" Protection, "No Water" Protection and "Accidental Blocked Suction" Protection.
8. **Spa & Bath Colours** Spas and baths are available in white or almond ivory.
9. **Jet Colours** Jets are available in white, almond ivory, chrome and gold.
10. **Steel Reinforcing Rod** All our baths are reinforced under the tiling bead using a solid steel rod for maximum strength. Not available on oval shaped baths.
11. **Skid Frame** Adjustable skids are available as an optional extra. It is fitted as standard with every air system. This protects the air injection equipment and assists in installation.
12. **Support Frame** Optional steel tile support frames are available with adjustable feet, making installation easier. Not available on oval baths.
13. **Whispair Plus Blower** Specifically designed for use in spa bath air systems, the vari-speed Whispair Plus blower is more compact, 50% quieter and 10% more powerful than traditional blowers.
14. **Air System** The optional air injection system uses a heated blower forcing warm air through injectors fitted in the base of the bath to create thousands of bubbles for an all over gentle body massage.
15. **Luxury Models** Some of the spa baths in our range are available as luxury models with multi jet options which massage your entire back.
16. **Jet Diverter** Some of our luxury models are fitted with a jet diverter which enables you to divert the water flow from one bank of jets to the other.
17. **Handle** Available in white, ivory, chrome and gold.
18. **Swirl Jet** Used in various luxury and super luxury model spas.

AVAILABLE FROM:



VICTORIA
(03) 9768 3577

NEW SOUTH WALES
(02) 9604 1620

SOUTH AUSTRALIA
(08) 8374 0877

NORTH QUEENSLAND
(07) 4723 4511

QUEENSLAND
(07) 3208 9199

WESTERN AUSTRALIA
(08) 9209 2299

NORTHERN TERRITORY
(08) 8947 0019

TASMANIA
(03) 6273 1355



For any plumbing and handle repairs adequate access is required. Spa and Bath shell covered by a 10 year warranty. Pumps are covered by a 7 year manufacturers warranty. Handles and fittings are covered by a 12 month warranty.

Copyright of this document and the concepts it represents are strictly reserved to Lanark Building Materials Pty Ltd. No unauthorised use or copying permitted. All rights reserved May 2004. Due to ongoing product development Lanark reserves the right to make changes without notice and specifications should be checked prior to installation. All measurements and capacities are approximate. Product colour reproduction is as near to actual colour as printing methods allow. Taps, plugs and wastes not included.

Visit our web site
www.lanark.com.au

Head Office and Factory: 11 Licola Crescent Dandenong South Victoria 3175 Tel: (03) 9768 3577 Fax: (03) 9768 3636

NSW Branch: Unit 2, 199-203 Woodpark Road Smithfield NSW 2164 Tel: (02) 9604 1620 Fax: (02) 9604 1758

QLD Branch: 6 Dan Street Slacks Creek QLD 4127 Tel: (07) 3208 9199 Fax: (07) 3208 9566

WA Branch: Unit 5, 516 Alexander Drive Malaga WA 6090 Tel: (08) 9209 2299 Fax: (08) 9209 2788